

Vianord
e n g i n e e r i n g
we innovate, you benefit

easy to plate | **Evo5**
one | **BP-D**



This is the first step towards the fully automated modular line. Composed by a processor (batch or incremental) equipped with a programmable automatic punching device and an automatic dryer, the “Easy to Plate” 1st step can be installed all at once or, thanks to the modular concept studied by Vianord, the machines can be bought separately and attached later on. The plate size usable with this project goes from 20 x 20 (8 x 8 inch) to the 132 x 203 cm (52 x 80 inch).



Dimensions LxWxH



9080 (+150 plate exit) x 2200 x 1930 mm
357.7 x 86.6 x 76 inches

Power supply



400V 3PH/N/PE 50/60Hz 17kW 25A
230V 3PH/PE 50/60Hz 17kW 44A

Solvent



min solvent volume for operation: 170 lts
max solvent volume for operation: 240 lts
max tank volume: 260 lts
solvent in & out pipes: 2 x 16 mm Ø

Weight



4060 kg | 8932 pounds

Maximum plate size



132 x 203 cm | 52 x 80 inches

Compressed air supply

min. 7 bar



Exhaust

2 x 140 mm Ø 600 m³/h



Power supply

Maximum plate size

Plate thickness

Up to 7 mm / 0.276 inch



Packaging dimensions: 3 crates

proc.: 4300 x 2260 x 1490 mm2.300 Kg
plate exit: 2960 x 2260 x 1490 mm .. 950 Kg
dryer: 2850 x 2260 x 2230 mm1.900 Kg



Remote monitoring

Included



easy to plate | **Evo5**
one | **BP-D**



© 2015 Vianord. All rights reserved. The Vianord Logo®, Easy to Plate® and Evo® are registered trademarks or trademarks of Vianord Engineering SAS or its affiliates. All technical information set out herein is provided free of charge and is based on technical data, which Vianord believes to be reliable. It is intended for use by persons having skill, at their own discretion and risk. The handling precaution information contained herein is given with the understanding that those using it will satisfy themselves that their particular conditions of use present no health or safety hazards. Since conditions of product use are outside of our control we make no warranties express or implied in relation thereto and therefore cannot accept any liability in connection with any use of this information. Vianord Engineering SAS reserves the right to change the specifications of its products at any time. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe any patents.

Vianord
engineering
www.vianord.com
info@vianord.com